

## अनुबंध|Contract



अनुबंध क्रमांक|Contract No: GEMC-511687720711505

अनुबंध तिथि Generated Date : 29-Jan-2025

संगठन विवरण | Organisation Details

प्ररूप|Type मंत्रालय | Ministry : Central Autonomous

Ministry of Agriculture and Farmers Welfare Department of Agricultural Research and Education

विभाग | Department :

(DARE)

संगठन का नाम|Organisation Name Indian Council of Agricultural Research (ICAR)

कार्यालय क्षेत्र|Office Zone:

Central Institute Of Brakishwater Aquaculture

खरीदार विवरण|Buyer Details

पद | Designation :

AAO Stores

संपर्क नंबर|Contact No. : 044-24610565-334

इंमेल आईडी|Email ID :

buyer133.icari.tn@gembuyer.in

जीएसटीआईएन|GSTIN: 33AAAA11830P1ZQ

NO.75, SANTHOME HIGH ROAD, RAJA ANNAMALAIPURAM

पता। Address

CHENNAL.

Chennai, TAMIL NADU-600028, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति IFD Concurrence :

प्रशासनिक अनुमोदन का पदनाम।

Designation of Administrative Approval: वितीय अनुमोदन का पदनाम।

Designation of Financial Approval:

THE DIRECTOR

THE DIRECTOR

भुगतान प्राधिकरण विवरण | Paying Authority Details BUYER

भगतान का तरीका। Payment Mode:

पता | Address:

Offline

AAO Stores

पद | Designation : ईमेल आईडी | Email ID :

buyer133.icari.tn@gembuyer.in

जीएसटीआईएन।GSTIN:

33AAAA11830P1ZQ

NO.75, SANTHOME HIGH ROAD, RAJA ANNAMAL AIPURAM.

Chennai TAMIL NADU-600028 India

विक्रैता विवरण | Seller Details

जेम विक्रेता आईडी|GeM Seller ID

कंपनी का नाम|Company Name

EY7Z240012750460 BRIGHTBAZZAR COM

07010708863

संपर्क नंबर | Contact No. ईमेल आईडी | Email ID :

brightbazzar2024@gmail.com

पता | Address :

17/1,OIL MONGER,OIL MONGER STREET, TRIPLICANE. Chennai, TAMIL NADU-600014, -

एमएसएमई पंजीकरण संख्या|MSME Registration number :

जीएसटीआईएन|GSTIN:

33AVAPB5986D1ZV (R)

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण|Product Details

उत्पाद का नाम  Product Name : VOLTAS DEEP FREEZER ब्रांड  Brand : Fingertip ब्रांड प्रकार  Brand Type : Registered Brand कैटलॉम की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थाय Category Name & Quadrant : Portable Voice Recorder (Q3) मॉडल  Model: 600 LTR एचएसएन कोड HSN Code: HSN not specified by seller	#	आइटम विवरण Item Description	आइटम विवेरण  Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)  Unit Price (INR)	कर विभाजन (INR)  Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहिते)  Price (Inclusive of all Duties and Taxes in INR)
	1	ब्रांड Brand: Fingertip ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As: OEM verified Reseller श्रेणी का नाम और चतुर्थाश Category Name & Quadrant: Portable Voice Recorder (Q3) मॉडल Model: 600 LTR	1	pieces	48,500	NA	48,500

## परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु ltem	लॉट नंबर  Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना हैं  Delivery Start After	वितरण पूरा कब तक करना है  Delivery To Be Completed By
1	पद  Designation : AAO Stores ईमेल आईडी Email ID : buyer133.icari.tn@gembuyer.in संपर्क Contact : 044-24610565-334 जीएसटीआईएन GSTIN : 33AAAAI1830P1ZQ पदा Address : NO.75, SANTHOME HIGH ROAD, RAIA	VOLTAS DEEP FREEZER	æ	1	29-Jan-2025	13 Feb 2025

Salient Features  No blinking lights or LEDs while recording,Built-in Slide Switch for Start/Stop Recording,Records while plugged in to a computer or powered USB port,Variable speed playback,Provided with Dual Connector (USB + Micro USB), Functions USB storage device also  SCCESSORIES  Accessories inclusive in the scope of supply  Body Material  Metallic  Overall Dimensions (L x B x H) (mm x mm x mm)  Weight  116 gram  OperatingTemperature  Maximum OperatingTemperature  Maximum Operating Humidity, Non Condensing  85 percent	Chennai, TAM	IL NADU-600028, India					
Application in the application i	Product Specification	n for VOLTAS DEEP FREE	ZER				
Specialization / Pype  Type  Ype  Merophone System  Recording System  Recording System  Recording System  Recording System  Recording System  Recording State / Sample  Record	विनिर्देश Specification	उप-विनिर्देश Sub-Spec					
Microphone System  Both Decording System  Both Decording System  Securing Storage Capacity  Remail Storage Capacity  Rema	3.	Application					
Recording System   Both Directional and Directional	Application / Type	Туре	USB Flash Drive Type				
Internal Stratege Capacity (Remony Strat Remorting Moties Remorting Moties Remorting Moties Remorting Moties Remorting Moties Audie Remorting Format Audie price vg prage in optimal conditions Interfore USB 2 D Compassible Operating System Return Vg and Moties Remorting of tempt Remorting Return Vg and Moties Remorting of tempt Return Vg and Moties Remorting of tempt Return Vg and Moties Return Vg and Moti		Microphone System	Stereo				
Bottoning Streit		Recording System	Both Directional and Omni-Directional				
Race blook Race clands Race cl			8 gigabyte				
Audio perk uprange in optimal conditions of use part uprange in the stope of use part of use part uprange in the stope of use part uprange in use			320				
Audie pick up range in optimal conditions  In meter    Surface   USB 2.0		Recording Modes	Continuous and Voice Activation (User Selectable)				
Spring   S	PERFORMANCE	Audio Recording Format	WAV				
Compatible Operating System System System Settery Inclusive in the scope of Supply Rattery Type Rechargeable Battery Chemistry Alkaline Battery Chemistry Alkaline Battery Chemistry Alkaline Battery Chamistry Alkaline Battery Chamistry Alkaline Battery Chamistry Alkaline Battery Size. if Non- Rechargeable Battery And Battery Size. if Non- Rechargeable Battery And Battery Harding Battery Laber Battery Battery Laber Battery Alkaline Battery Capacity (mah) And Battery Laber Battery B			10 meter				
System Windows Mac, Android  Rattery Undows in the scope of supply ves  Rattery Type Rechargeable  Battery Chemistry Alkaline  Battery Size, if Non-Rechargeable Battery Voltage 9 voit  Battery System 9 voit  Battery Voltage 9 voit  Battery Capacity (mah.) 2453  Battery Sature backup time in continuous recording mode endinged into any USB power source  Battery Society Sature backup time in Continuous recording Mattery backup time in Continuous terording Mattery backup time in Continuous terording Mattery backup time to Computer or powered USB port, Variable Microphone Sensitivity, Built-in Speaker, Built-in Headphone Jack, Built-in Microphone input Jack:  CCESSORIES  Accessories inclusive in the scope of supply  Sol / Micro SD Card Slot to expand memory, User Manual  Sol / Micro SD Card Slot to expand memory, User Manual  Mattery Backup time of Startery time in Continuous time of Startery time in Continuous t		Interface	USB 2.0				
Scope of Supply  Rattery Type  Battery Chemistry  Alkaline  Battery Chemistry  Alkaline  Battery Size, if Non- Rechargeable Battery  Battery Vistage  9 Volt  Battery Voltage  9 Volt  Battery Chapacity (mah)  2453  Rattery barkup time in continuous recording mode  Battery gets charged when plugged into any USB power source  General Features  Built-in Playback facility, Display;Adjustable Microphone Sensitivity, Built-in Speaker, Built-in Headphone Jack, Built-in Microphone input Jack:  Constitution  Computer on power dusty of the statures of supply  Salient Features  Accessories inclusive in the scope of supply  Weight  Metallic  Overail Dimensions (L v B x 136 mm  Metallic  Weight  116 gram  Maximum Operating Maximum Operating Maximum Operating Maximum Operating Humdity, Non Condensing  85 percent			Windows,Mac,Android				
Hattery Size, if Non- Rechargeable Battery  An A  Battery Size, if Non- Rechargeable Battery  Battery Voltage 9 Volt  Battery Lapacity (mah) 2453  Battery backup time in continuous recording mode  Battery gets charged when plugged into any USB power source  Battery gets charged when plugged into any USB power source  Battery gets charged when plugged into any USB power source  Battery gets charged when plugged into any USB power source  Battery gets charged when plugged into any USB power source  Battery gets charged when plugged into any USB power source  Battery gets charged when plugged into any USB power source  Battery gets charged when plugged into a recording Built-in Slide Switch for Start/Stop Recording.Records while plugged in to a remotive or powered USB port, Variable speed playback Provided with Dual Connector (USB + Micro USB).Efunctions  USB storage device also  USB storage device also  Body Material  Metallic  Perpartional  Metallic  Metallic  Metallic  Devarial Dimensions (L x B x bright)  Metallic  Devarial Dimensions (L x B x bright)  Metallic  DepartingTemperature  OperatingTemperature  OperatingTemperature  OperatingTemperature  OperatingTemperature  Maximum Operating Humidity, Non Condensing		2	Yes				
Rattery Size. if Non-Rechargeable Battery  Battery Voltage 9 Volt  Battery Capacity (mah) 2453  Battery Darking time in continuous recording mode  Battery gets charged when plugged into any USB power source  Battery gets charged when plugged into any USB power source  Battery Batters  General Features  Built-in Playback facility, Display, Adjustable Microphone Sensitivity, Built-in Speaker, Built-in Headphoone Jack, Built-in Microphone input Jack;  Salient Features  No blinking lights or LEDs while recording, Built-in Slide Switch for Start/Stop Recording, Records while plugged in to a computer or powered USB port, Variable speed playback, Provided with Dual Connector (USB + Micro USB). Functions USB storage device also  CCESSORIES  Accessories inclusive in the scope of supply  Body Material  Metallic  Overall Dimensions (L x B x H) (mm x mm x mm)  Weight  116 gram  Minimum  Operating Temperature  Operating Temperature  St degree Celsius  Maximum Operating  Maximum Operating  Maximum Operating  Maximum Operating  Maximum Operating  Maximum Operating  Humidity, Non Condensing  8 percent		Battery Type	Rechargeable				
Rechargeable Battery Battery Voltage 9 Volt Battery Capacity (mah) 2453 Battery darkup time in continuous recording mode Battery gets charged when plugged into any USB power source Battery gets charged when plugged into any USB power source  Salient Features Built-in Playback facility.Display.Adjustable Microphone Sensitivity.Built-in Speaker,Built-in Headphoone Jack,Built-in Microphone input Jack;  Salient Features No Blinking lights or LEDs while recording,Built-in Slide Switch for Start/Stop Recording,Records while plugged in to a computer or powered USB port,Variable speed playback.Provided with Dual Connector (USB + Micro USB).Functions USB storage device also  CCESSORIES Accessories inclusive in the scope of supply Body Material Metallic Overall Dimensions (L x B x H) (mm x mm x mm) Weight 116 gram Minimum Operating Temperature Operating Temperature Maximum Operating Temperature Maximum Operating Temperature Maximum Operating Temperature Maximum Operating Humidity, Non Condensing Battery Vest Salana Vest Salanaa Vest Salanaa Vest Salanaa Vest Salanaa V		Battery Chemistry	Alkaline				
Battery Capacity (mah) Battery backup time in rontinuous recording mode Battery gets charged when plugged into any USB power source Battery and the starter of the starter			ΑΛ				
Battery backup time in continuous recording mode  Battery glast charged when plugged into any USB power source  EATURES  General Features  Built-in Playback facility, Display; Adjustable Microphone Sensitivity, Built-in Speaker, Built-in Headphone Jack, Built-in Microphone input jack:  Salient Features  No blinking lights or LEDs while recording, Built-in Slide Switch for Start/Stop Recording, Records while plugged into a computer or powered USB port, Variable speed playback, Provided with Dual Connector (USB + Micro USB); Functions USB storage device also  Accessories inclusive in the scope of supply  SD / Micro SD Card Slot to expand memory, User Manual  Perentic  Body Material  Overall Dimensions (L x B x H) (mm x mm x mm)  Weight  116 gram  Operating Temperature  Operating Temperature  Operating Temperature  Maximum Operating Humidity, Non Condensing  By percent	BATTERY	Battery Voltage	9 Volt				
Continuous recording mode   The hour		Battery Capacity (mah)	2453				
plugged into any USB power source  Built-in Playback facility, Display; Adjustable Microphone Sensitivity, Built-in Speaker, Built-in Headphoone Jack, Built-in Microphone input Jack;  Salient Features  No blinking lights or LEDs while recording, Built-in Slide Switch for Start/Stop Recording, Records while plugged into a computer or powered USB port, Variable speed playback, Provided with Dual Connector (USB + Micro USB); Functions USB storage device also  Accessories inclusive in the scope of supply  Body Material  Overall Dimensions (L x B x H) (mm x mm x mm)  Weight  116 gram  Operating Temperature  Maximum Operating Humidity, Non Condensing  Body percent  Maximum Operating Humidity, Non Condensing  Percent		continuous recording	10 hour				
Microphone input jack:  Salient Features  No blinking lights or LEDs while recording,Built-in Slide Switch for Start/Stop Recording,Records while plugged in to a computer or powered USB port,Variable speed playback,Provided with Dual Connector (USB + Micro USB); Functions USB storage device also  Accessories inclusive in the scope of supply  Body Material  Metallic  Overall Dimensions (L x B x H) (mm x mm x mm)  Weight  116 gram  OperatingTemperature  OperatingTemperature  Maximum OperatingTemperature  Maximum Operating Humidity, Non Condensing  B5 percent		plugged into any USB	Yes				
Salient Features  Salient Features Salient Saliet Salie		General Features					
SCOPE of supply  SD / Micro SD Card Slot to expand memory,User Manual  Body Material Metallic  Overall Dimensions (L x B x H) (mm x mm x mm)  Weight 116 gram  Minimum OperatingTemperature  OperatingTemperature  Maximum Operating	EATURES	Salient Features	No blinking lights or LEDs while recording, Built-in Slide Switch for Start/Stop Recording, Records while plugged in to a computer or powered USB port, Variable speed playback, Provided with Dual Connector (USB + Micro USB); Functions as USB storage device also				
Overall Dimensions (L x B x H) (mm x mm x mm)  Weight 116 gram  Minimum OperatingTemperature 0 degree Celsius  OperatingTemperature 55 degree Celsius  Maximum Operating Humidity, Non Condensing 85 percent  BERRATIONAL NVIRONMENT 85 percent	CCESSORIES		SD / Micro SD Card Slot to expand memory,User Manual				
H) (mm x mm x mm)  Weight 116 gram  Minimum OperatingTemperature 0 degree Celsius  Maximum OperatingTemperature 55 degree Celsius  Maximum Operating Humidity, Non Condensing 85 percent		Body Material	Metallic				
Minimum OperatingTemperature  Maximum OperatingTemperature  Maximum OperatingTemperature  Maximum Operating Humidity, Non Condensing  85 percent	ENERIC		Logitech Zone 300				
OperatingTemperature  Maximum OperatingTemperature  Maximum Operating Humidity, Non Condensing  Odegree Celsius  55 degree Celsius  55 degree Celsius		Weight	116 gram				
OperatingTemperature  Maximum Operating Humidity, Non Condensing  85 percent			0 degree Celsius				
Humidity, Non Condensing 85 percent			55 degree Celsius				
ARRANTY/CERTIFICATION Warranty 1 year		000 500	85 percent				
	ARRANTY/CERTIFICATION	Warranty	1 year				

NA

## नियम और शर्तैं|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 1.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकत! नहीं है। इस दस्तावेज़ का प्रिटे आउट भगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

Sheii. C. Siva, Sci

File NO: 5-69/24-25/86

Comp: 355146

Note# 4 page:2

Date: 28/01/2005

Fund: GIPPI