

मिसिल संख्या / F.No: 3-22/24-25/ST

दिनांक / Date: 13-03-2025

कार्यालय आदेश / OFFICE ORDER

The Competent Authority has nominated the Local purchase committee w.r.t for the bottom repair of 8t RCC tank for larval rearing , Fish Hatchery MES of CIBA. Fund: Inst R &O for the F.Year 2024-25.

1. Dr.J.Syama Dayal, P.S, Chairman.
2. Dr. M .Makesh, P.S, Member.
3. Dr. P. Ezhil Praveena, P.S, Member.
- 4 Dr. Aritra Bera, Senior Scientist & Indenter.
5. CFAO / AFAO, Member.
6. AAO STORE, Member

The committee is requested to survey the market to ascertain the reasonableness of rate, quality and specifications etc. and identify the appropriate supplier/service provider and make their recommendations as per GFR 155.

भवदीय / yours faithfully,

E. Nany Desai
13-3-25

Asst. Administrative Officer,
CIBA, Chennai.

Note: The standard deductions such as TDS ON GST (2%) & IT (2%) and other statutory levies as per government norms from time to time will be deducted.

प्रतिलिपि / Copy to:

- The concerned officials.
- The Chief Finance & Accounts Officer, CIBA, Chennai.

From

06.03.25

Dr. Aritra Bera
Senior Scientist
Fish Culture Division
ICAR-CIBA
Chennai- 28

To
The Director
ICAR-CIBA
Chennai- 28

Subject: Request for bottom repair of 8t RCC tank for larval rearing, Fish hatchery, MES of CIBA

Respected sir,

I would like to submit that the bottom of the yellow colour RCC tanks (8 nos) used for fish larval rearing at fish hatchery, MES of CIBA damaged due to removal of yellow epoxy paint coating and accumulation of black debris between the paint coating and cement plastering. The black debris, damaged paint coat and cement plaster have to be removed as the tank bottom holds paramount importance which affects larval growth and survival. In this regard, we need to urgently repair the bottom of these larval rearing tanks by chipping out old debris, applying 4 inch concrete and levelling with plastering. It is estimated that approximate cost for above work (8 tanks each 8 m²) is approximately Rs. 2,25,000 (including labour & GST). Hence, I kindly request to consider the proposal and give approval for the above stated work.

*This work need to be done
urgently to keep ready
the tank for larval rearing
Hence, I kindly request to
apt consider the request.*

Yours sincerely,

Aritra Bera
(ARITRA BERA)

*Forwarded!
my handwriting
6/3/25*