

CAR - CENTRAL INSTITUTE OF BRACKISHWATER AQUACULTURI

(ISO 9001 : 2015 Certified) भारतीय कृषि अनुसंधान परिषद, कृषि एवं किसान कल्याण मंत्रालय, भारत सरकार Indian Council of Agricultural Research, Ministry of Agriculture and Farmers Welfare, Govt. of India 75, संथोम राई रोङ, एम. आर. सी. नगर, आर. ए. पुरम, बेन्नई- 600 028, तमिल नाडु, भारत 75, Santhome High Road, M. R. C. Nasar, R. A. Puram, Chempia, 600 028

CIBA GST: 3AAAAI1830P1ZQ

<u>आदेश/Order No: CIBA/25-26/</u>386

कार्य आदेश / WORK ORDER

फ़ाइल संख्या / F.No: 1-42/22-23/ST

सेवा में / То,

दिनांक / Date: 11-08-2025

M/s. UNIWAY ENGINEERS PRIVATE LIMITED

1st Floor, 502, CTR Square, Sadasiva Nagar, 5th Main Road, Madipakkam, Chennai-600091 Email - info@uniway.co.in

विषय/Sub: Work order for Boiler descaling at feedmill at MES- Reg

संदर्भ /Ref No:EST/UE/FY24/2846 R, Date-25-07-2025

महोदय/ महोदया / Sir/Madam,

This has reference to the above subject & your estimate thereon. It is requested to carry out the following work.

SI. No	DESCRIPTION	QTY	Unit Price	TOTAL
1	UEHSCDESCCOILBOILER Descaling service charges and Descaling material for coil type Boiler model-RXA-02 1) CHEMICAL 2) PUMP RENTAL CHARGES 3) TRANSPORT CHARGES	1	23,000.00	23,000.00
GST 18%				4,140.00
Grand Total				27,140.00
(Rupees Twenty Seven Thousand One Hundred Forty Only)				

On satisfactory completion of service/work at MES it is requested to submit the pre receipted invoice drawn in favour of "The Director", CIBA, Chennai-600 028 along with work report / GST certificate and copy of cancelled cheque as applicable etc. for releasing the payment. Payment will be made at the earliest after completion of the work and <u>deducting the TDS on IT(2%) and GST if applicable as per government rules</u>.

भवदीय / Yours Faithfully,

8. Nag 725

सहायक प्रशासनिक अधिकारी / Asst. Administrative Officer,

तिलिपि / Copy to

- The Chief Finance & Accounts Officer, CIBA, Chennai.
- The DDO, CIBA, Chennai
- Dr.K.Anantharaja, Sci, CIBA, Chennai

(C.No. 229477, Note #53, Dt:08-08-2025, Fund: Institute-R&M)