

CIBA/25-26/521

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687783171390

अनुबंध तिथि | Generated Date : 22-Sep-2025

संगठन विवरण | Organisation Details

प्ररूप | Type : Central Autonomous
मंत्रालय | Ministry : Ministry of Agriculture and Farmers Welfare
विभाग | Department : Department of Agricultural Research and Education (DARE)
संगठन का नाम | Organisation Name : Indian Council of Agricultural Research (ICAR)
कार्यालय क्षेत्र | Office Zone : Central Institute Of Brackishwater Aquaculture

खरीदार विवरण | Buyer Details

पद | Designation : AAO Stores
संपर्क नंबर | Contact No. : 044-24610565-334
ईमेल आईडी | Email ID : buyer133.icari.tn@gembuyer.in
जीएसटीआईएन | GSTIN : 33AAAAI1830P1ZQ
पता | Address : NO.75, SANTHOME HIGH ROAD, RAJA ANNAMALAIPURAM, CHENNAI, Chennai, TAMIL NADU-600028, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval : THE DIRECTOR
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval : THE DIRECTOR

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: BUYER
भुगतान का तरीका | Payment Mode: Offline
पद | Designation : AAO Stores
ईमेल आईडी | Email ID : buyer133.icari.tn@gembuyer.in
जीएसटीआईएन | GSTIN : 33AAAAI1830P1ZQ
पता | Address : NO.75, SANTHOME HIGH ROAD, RAJA ANNAMALAIPURAM, CHENNAI, Chennai, TAMIL NADU-600028, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 2636180000335078
कंपनी का नाम | Company Name : GENE TECHNOLOGIES
संपर्क नंबर | Contact No. : 09841656114
ईमेल आईडी | Email ID : genetechnologies@gmail.com
पता | Address : AH Block, AH157, New no: 6.3rd street, Anna Nagar, Chennai, TAMIL NADU-600040, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-TN-02-0088649
जीएसटीआईएन | GSTIN : 33AAIFG8209R2ZU (R)
एमएसई सामाजिक श्रेणी | MSE Social Category : General
एमएसई लिंग श्रेणी | MSE Gender : OTHERS

*जिसके नाम के पक्ष में GST/TAX इनवाइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Bio-Rad Gel Documentation System with CMOS Camera ब्रांड Brand : Bio-Rad ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Gel Documentation System (Q2) मॉडल Model: 12009077 : GelDoc Go एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	897,500	NA	897,500
कुल ऑर्डर मूल्य Total Order Value (in INR)						897,500

परोक्षी विवरण | Consignee Detail

क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
----------------	---------------------	--------------	--------------------	-------------------	---	--

1	जीएसटीआईएन GSTIN : 33AAAAI1830P1ZQ पता Address : NO.75, SANTHOME HIGH ROAD, RAJA ANNAMALAIPURAM, CHENNAI, Chennai, TAMIL NADU-600028, India	Documentation System with CMOS Camera	-	1	22-Sep-2025	07-Oct-2025
---	--	--	---	---	-------------	-------------

Product Specification for Bio-Rad Gel Documentation System with CMOS Camera

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Standards	Certification for product	CE
	Certification date and number	98/79/CE-27/03/14
	Quality system certifications of manufacturer	ISO 13485 and 9001
	Conformity to standard for for electrical safety latest amendment	IEC- 60601-2-40 or BIS Equivalent
Performance Parameters	Purpose	Gel documentation system refers to equipment widely used in molecular biology laboratories for the imaging and documentation of nucleic acid and protein suspended within polyacrylamide or agarose gels
	Camera imager for imaging applications	DNA gels, Protein gels, Fluorescence, Colorimetric detection
	Type of Camera	CMOS
	System should enable detection of picogram levels of sample with chemiluminescence	No
	Display	Touch screen
	Machine should have onboard capture and analyse software for ease of use and automation, with PC connectivity and USB connection	Yes
	Camera with fixed focus motorized lens	Yes
	Cooling Temperature available for the camera in °C	NA (if Chemi is not available)
	Camera resolution in Mega Pixel (MP)	6 Mega Pixel
	Should have bright lens, Automatic focusing and calibrations for quantitative blot and gel imaging	Yes
	Compact dark room should include	UV Transilluminator with White Light source
	UV transillumination wavelength (nm)	365
	Imaging area in cm x cm with tolerance of ±10%	20 x 24
	Machine should include positions motorised filter wheel with suitable filter for EtBr, SYBR Green, Coomassie Blue, Silver Stain	5
	Sample placement slot should be adjustable as per user requirement and application specific trays for UV, White and Chemiluminescent Blot samples should be provided	Yes
	Modes of image capturing	Automatic, Semi automatic, Manual
	Analysis software	1D & 2D
	Power supply	220-240 V, 50 Hz single phase
	Image Printing	Yes
Miscellaneous Parameters	Comprehensive Warranty in years	2
	Installation and demonstration to be given before acceptance	Yes
	Instruction manual to be supplied	Yes
	Number of installations of the Machine machines in Central /State/PSU Govt Hospitals(Note: Seller should supply a performance certificate of the device to the buyer if demanded after placement of order)	No installations
	OEM/Reseller (if supplied to reseller shall ensure uninterrupted availabilty of all spares for 10 years)	Yes
	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes
	User/Technical/Maintenance manuals in original to be supplied in English in hard and soft copy	Yes
	Demonstration of equipment and training to be provided after completing supplies before acceptance	Yes
	The Principal Manufacturer must have direct Presence/approved service center In India	Yes
QA, QC and other tests as per NABH shall be carried out by OEM or		

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:2 effective from 24-11-2023

1.1 Comprehensive warranty

Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

• Service centres

Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled .Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

• Source of supply

It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.

• Packing and Marking

Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity ,. Packing list reference number , country of origin of goods and any other relevant details.

• Spare Parts

Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.

• Installation, Training, Manuals

Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable.

• Electrical safety checking

Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

• Software All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

Dr. Akshaya Panigrahi, P. 9

F.No - 5 - 46/25 - 26/ST

Comp No - 395505

Note # 5

Date - 20.09.25

fund - GIPPI - 4001/543