

CIBA/25-26/561

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687702755629

अनुबंध तिथि | Generated Date : 24-Oct-2025

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्रकार Type :	Central Autonomous	पद Designation :	AAO Stores
मंत्रालय Ministry :	Ministry of Agriculture and Farmers Welfare	संपर्क नंबर Contact No. :	044-24610565-334
विभाग Department :	Department of Agricultural Research and Education (DARE)	ईमेल आईडी Email ID :	buyer133.icari.tn@gembuyer.in
संगठन का नाम Organisation Name :	Indian Council of Agricultural Research (ICAR)	जीएसटीआईएन GSTIN :	33AAAAI1830P1ZQ
कार्यालय क्षेत्र Office Zone :	Central Institute Of Brackishwater Aquaculture	पता Address :	NO.75, SANTHOME HIGH ROAD, RAJA ANNAMALAIPURAM, CHENNAI, Chennai, TAMIL NADU-600028, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	No	Role:	BUYER
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	THE DIRECTOR	भुगतान का तरीका Payment Mode:	Offline
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	THE DIRECTOR	पद Designation :	AAO Stores
		ईमेल आईडी Email ID :	buyer133.icari.tn@gembuyer.in
		जीएसटीआईएन GSTIN :	33AAAAI1830P1ZQ
		पता Address:	NO.75, SANTHOME HIGH ROAD, RAJA ANNAMALAIPURAM, CHENNAI, Chennai, TAMIL NADU-600028, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID :	8EZ6200001887849
कंपनी का नाम Company Name :	M/s TEJ CORPORATION
संपर्क नंबर Contact No. :	08728002422
ईमेल आईडी Email ID :	tejcorporation2@gmail.com
पता Address :	SHOP NO 7, MS ENCLAVE, DHAKAULI, ZIRAKPUR, Patiala, PUNJAB-140603, -
एमएसएमडी पंजीकरण संख्या MSME Registration number :	UDYAM-PB-20-0049541
जीएसटीआईएन GSTIN:	03HUHPK41431ZL (R)
एमएसडी सामाजिक श्रेणी MSE Social Category :	General
एमएसडी लिंग श्रेणी MSE Gender :	Male

* जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : ATAGO Handheld Water Quality Meter / Analyzer Measuring Salinity Meter 1 year Year Warranty ब्रांड Brand : ATAGO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Water Quality Meters / Analyzers (Q3) मॉडल Model: Master S Mill Alpha एचएसएन कोड HSN Code: HSN not specified by seller	2	pieces	21,452.526	NA	42,905.052
कुल ऑर्डर मूल्य Total Order Value (in INR)						42,905.052

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start	वितरण पूरा कब तक करना है Delivery To Be Completed
----------------	---------------------	--------------	--------------------	-------------------	---	---

1	संपर्क Contact : 044-24610565-334 जीएसटीआईएन GSTIN : 33AAAAI1830P1ZQ पता Address : NO.75, SANTHOME HIGH ROAD, RAJA ANNAMALAIPURAM, CHENNAI, Chennai, TAMIL NADU-600028, India	Quality Meter / Analyzer Measuring Salinity Meter 1 year Year Warranty	-	2	24-Oct-2025	08-Nov-2025
Product Specification for ATAGO Handheld Water Quality Meter / Analyzer Measuring Salinity Meter 1 year Year Warranty						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec				मूल्य Value	
TYPE / NOMENCLATURE / PROTECTION	Type of Meter / Analyzer				Handheld	
	Functional nomenclature				Salinity Meter	
	Ingress Protection (Main Unit)				IP 65	
	Calibration				Manual	
MEASURED WATER QUALITY PARAMETERS	Dissolved Oxygen (DO)				No	
	DO % Saturation				No	
	Conductivity				No	
	Resistivity				No	
	Salinity				Yes	
	Total Dissolved Solids (TDS)				No	
	pH				No	
	Oxidation Reduction Potential (ORP)				No	
	Ammonium				No	
	Nitrate				No	
	Chloride				No	
	Turbidity				No	
	Depth				No	
	Temperature				No	
	Atmospheric Pressure				No	
MEASUREMENT OF DISSOLVED OXYGEN (DO) / DO % Saturation	Dissolved Oxygen (DO) measurement Principle				NA	
	Sensor / Probe/ Electrode Type				NA	
	Measurement Range for DO Content (in ppm or mg/l)				NA	
	Resolution (in ppm or mg/l)				NA	
	DO Accuracy (+/-)				0 percent	
	Measurement Range for DO % Saturation (in %)				NA	
	Resolution (in %)				NA	
	DO % Accuracy (+/-)				0 percent	
MEASUREMENT OF CONDUCTIVITY (EC)	Conductivity measurement principle				NA	
	Sensor/ Probe/Electrode Type				NA	
	Material of Electrode				NA	
	Measurement Range (in $\mu\text{S}/\text{cm}$)				NA	
	Resolution (in mho or $\mu\text{S}/\text{cm}$)				NA	
	EC Accuracy (+/-)				0 percent	
MEASUREMENT OF RESISTIVITY	Resistivity measurement principle				NA	
	Lowest Measurement Value for Resistivity (in ohm-cm)				NA	
	Highest Measurement Value for Temperature ($^{\circ}\text{C}$)				NA	
	Resolution (in ohm-cm)				NA	
	Resistivity Accuracy(+/-)				0 percent	
MEASUREMENT OF SALINITY	Salinity measurement principle				Conductivity Conversion	
	Measurement Range (in parts per thousand or g/l or PSU)				0-100	
	Resolution (in g/l)				0.01	

MEASUREMENT OF TOTAL DISSOLVED SOLIDS (TDS)	TDS Measurement Range (in parts per thousand or g/l)	NA
	Resolution (in g/l)	NA
	TDS Accuracy (+/-)	0 percent
MEASUREMENT OF pH	pH measurement principle	NA
	Sensor / Probe / Electrode Type	NA
	Number of Sensors / Electrodes	NA
	pH Measurement Range	NA
	Resolution (in pH number)	NA
	pH Accuracy (+/-)	0 percent
MEASUREMENT OF OXIDATION REDUCTION POTENTIAL (ORP)	ORP measurement principle	NA
	Sensor / Probe/ Electrode Type	NA
	Number of Sensors /Electrodes	NA
	Lowest Measurement Value for ORP (in mV)	NA
	Highest Measurement Value for ORP (in mV)	NA
	Resolution (in $\pm$ mV)	NA
	ORP Accuracy (+/-)	0 percent
MEASUREMENT OF AMMONIUM	Sensor / Probe/ Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Ammonium Accuracy (+/-)	0 percent
MEASUREMENT OF NITRATE	Sensor / Probe/ Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Nitrate Accuracy (+/-)	0 percent
MEASUREMENT OF CHLORIDE	Sensor/Probe/Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Chloride Accuracy (+/-)	0 percent
MEASUREMENT OF TURBIDITY	Turbidity measurement principle	NA
	Light Source	NA
	Measurement of scattered light	NA
	Lowest Measurement Value for Turbidity (in FNU or NTU)	NA
	Highest Measurement Value for Turbidity (in FNU or NTU)	NA
	Resolution (in FNU or FTU)	NA
	Turbidity Accuracy (+/-)	0 percent
MEASUREMENT OF TEMPERATURE	Sensor/Probe Type	NA
	Lowest Measurement Value for Temperature (°C)	NA
	Highest Measurement Value for Temperature (°C)	NA
	Resolution (°C)	NA
	Temperature Accuracy (+/-)	0 percent
MEASUREMENT OF PRESSURE	Sensor /Probe Type	NA
	Lowest Measurement Value for Pressure (in mmHg)	NA
	Highest Measurement Value for Pressure (in mmHg)	NA
	Resolution (in mmHg)	NA
	Pressure Accuracy (+/-)	0 percent
	Measurement Method	NA

COMPENSATION / CORRECTION	Temperature correction	Automatic
	Salinity Correction	Automatic
	Barometric Pressure correction	NA
DISPLAY / STORAGE	Type of Display	LCD
	Display Digit Size	0 millimeter
	Number of Digits in Display	0
	Number of parameters displayed simultaneously	2
	Memory (in Data Sets)	0
	Internal memory (GB)	0
	In-built GPS	No
	Date /time Stamp in Entries	No
	Connectivity interface	NA
POWER SOURCE	Power Source	Alkaline Batteries (Non-Rechargeable)
	Battery Size, if Non Rechargeable Battery	NA
	Battery Chemistry, if Rechargeable Battery	NA
	Voltage of each Battery	0 Volt
	Number of Batteries required for operation	0
	Number of Batteries Inclusive in the Scope of Supply	0
	Battery Capacity (mAh)	0
	Battery Life	0 hour
	Suitable Adapter to be supplied to make the equipment Work on 230 V $\pm$ 10 %, 50 Hz	No
GENERIC	Armour housing of Sensor / Probe	Plastic
	Probe / Sensor / Electrode supplied with equipment	No
	Number of elctrodes supplied	0
	Weight	110 gram
	Dimensions (mm x mm x mm)	3.2x3.4x20.7mm
	Carry Case included in the scope of supply	Yes
	Any other features	Includes manual
	List of Items and Quantity of each item included in the offer	1
OPERATING CONDITIONS	Minimum Operating Temperature	5 degree Celsius
	Maximum Operating Temperature	50 degree Celsius
	Operating Humidity, Rh at 40 deg C	90 percent
WARRANTY	Warranty on Equipment	1 year
	Warranty on Probe / Electrode	12 month
	Warranty on Cables for Connecting Probe	0 year
CERTIFICATION	Availability of Test Reports from Central Govt / NABL approved / ILAC accredited Lab to prove conformity to the specification	Yes
	If Yes, Test Report to be furnished to the Buyer on demand	Yes
	Test Report No and Date	M1543dt25.8.2021
	Name of the Lab and Address	Fukaya, Japan

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 1.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

Note: Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing, and will also contribute to improving their ratings.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

Shri. Darin Thomas, SA

F.No - 9 - 33/25 - 26/ST

Comp No - 400108

Note # 7

Date - 22/10/25

fund - DST (4001/568)