

CIBA/26-27/097

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687750307684

अनुबंध तिथि | Generated Date : 02-Jun-2026

खरीद का माध्यम | Procurement Mode: Direct Purchase(DP)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : Central Autonomous	पद Designation : LDC
मंत्रालय Ministry : Ministry of Agriculture and Farmers Welfare	संपर्क नंबर Contact No. : 044-24610565-337
विभाग Department : DEPARTMENT of Agricultural Research and Education (DARE)	ईमेल आईडी Email ID : kishorkumar.v@icar.org.in
संगठन का नाम Organisation Name : Indian Council of Agricultural Research (ICAR)	जीएसटीआईएन GSTIN : 33AAAAI1830P1ZQ
कार्यालय क्षेत्र Office Zone : Central Institute Of Brakishwater Aquaculture	पता Address : NO.75, SANTHOME HIGH ROAD, RAJA ANNAMALAI PURAM, CHENNAI, CHENNAI, TAMIL NADU-600028, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : Yes	भुगतान का तरीका Role: BUYER
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: THE DIRECTOR	भुगतान का तरीका Payment Mode: Offline
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: THE DIRECTOR	पद Designation : LDC
	ईमेल आईडी Email ID : kishorkumar.v@icar.org.in
	जीएसटीआईएन GSTIN : 33AAAAI1830P1ZQ
	पता Address : NO.75, SANTHOME HIGH ROAD, RAJA ANNAMALAI PURAM, CHENNAI, CHENNAI, TAMIL NADU-600028, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID : C8B0180000312369	कंपनी का नाम Company Name : ESSAR LAB MATE PRIVATE LIMITED
संपर्क नंबर Contact No. : 09746475578	ईमेल आईडी Email ID : essarlabblr@gmail.com
पता Address : 353,1ST CROSS,RAJANNA LAY OUT ,HORAMAVU AGR MAIN ROAD,Horamavu Agra Main Road,NEAR SHILPA BAKERY, BENGALURU, karnataka-560043, -	एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-KR-02-0034638
जीएसटीआईएन GSTIN : 29AAECE5538Q1ZW (R)	एमएसई सामाजिक श्रेणी MSE Social Category : General
	एमएसई लिंग श्रेणी MSE Gender : Male

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions :

Dr P. S. Shyne Anand

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Horiba Handheld Water Quality Meter / Analyzer Measuring pH Meter 2 year Year Warranty ब्रांड Brand : Horiba ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Water Quality Meters / Analyzers (Q3) मॉडल Model: HORIBA LAQUATWIN pH 33 एचएसएन कोड HSN Code: 9027 उद्गम देश Country Of Origin: Japan	1	pieces	29,900	NA	29,900
कुल ऑर्डर मूल्य Total Order Value (in INR)						29,900

परिष्ठी विवरण | Consignee Detail

क्र.सं. S.No	परिष्ठी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	<p>पद Designation : Scientist ईमेल आईडी Email ID : aravind.pillai@icar.gov.in संपर्क Contact : - जीएसटीआईएन GSTIN :- पता Address : Muttukadu Experimental Station, Kovalam Post, Muttukadu, Chennai-613112, Kanchipuram, TAMIL NADU-603112, India</p>	Horiba Handheld Water Quality Meter / Analyzer Measuring pH Meter 2 year Year Warranty	-	1	02-Jun-2026	17-Jun-2026

Product Specification for Horiba Handheld Water Quality Meter / Analyzer Measuring pH Meter 2 year Year Warranty

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
TYPE / NOMENCLATURE / PROTECTION	Type of Meter / Analyzer	Handheld
	Functional nomenclature	pH Meter
	Ingress Protection (Main Unit)	IP 67
	Calibration	Automatic
MEASURED WATER QUALITY PARAMETERS	Dissolved Oxygen (DO)	No
	DO % Stauration	No
	Conductivity	No
	Resistivity	No
	Salinity	No
	Total Dissolved Solids (TDS)	No
	pH	Yes
	Oxidation Reduction Potential (ORP)	No
	Ammonium	No
	Nitrate	No
	Chloride	No
	Turbidity	No
	Depth	No
	Temperature	Yes
Atmospheric Pressure	No	
MEASUREMENT OF DISSOLVED OXYGEN (DO) / DO % Saturation	Dissolved Oxygen (DO) measurement Principle	NA
	Sensor / Probe/ Electrode Type	NA
	Measurement Range for DO Content (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	DO Accuracy (+/-)	0 percent
	Measurement Range for DO % Saturation (in %)	NA
	Resolution (in %)	NA
DO % Accuracy (+/-)	0 percent	
MEASUREMENT OF CONDUCTIVITY (EC)	Conductivity measurement principle	Inductive
	Sensor/ Probe/Electrode Type	NA
	Material of Electrode	NA
	Measurement Range (in μ S/cm)	NA
	Resolution (in mho or μ S/cm)	NA
	EC Accuracy (+/-)	0 percent
MEASUREMENT OF RESISTIVITY	Resitivity measurement principle	NA
	Lowest Measurement Value for Resistivity (in ohm-cm)	NA
	Highest Measurement Value for Temperature (°C)	NA

	Resolution (in ohm-cm)	NA
	Resistivity Accuracy(+/-)	0 percent
MEASUREMENT OF SALINITY	Salinity measurement principle	NA
	Measurement Range (in parts per thousand or g/l or PSU)	NA
	Resolution (in g/l)	NA
	Salinity Accuracy (+/-)	0 percent
MEASUREMENT OF TOTAL DISSOLVED SOLIDS (TDS)	TDS measurement principle	NA
	TDS Measurement Range (in parts per thousand or g/l)	NA
	Resolution (in g/l)	NA
	TDS Accuracy (+/-)	0 percent
MEASUREMENT OF pH	pH measurement principle	Electro chemical
	Sensor / Probe / Electrode Type	NA
	Number of Sensors / Electrodes	Single Electrode
	pH Measurement Range	0-14
	Resolution (in pH number)	0.01
	pH Accuracy (+/-)	0.01 percent
MEASUREMENT OF OXIDATION REDUCTION POTENTIAL (ORP)	ORP measurement principle	NA
	Sensor / Probe/ Electrode Type	NA
	Number of Sensors /Electrodes	NA
	Lowest Measurement Value for ORP (in mV)	NA
	Highest Measurement Value for ORP (in mV)	NA
	Resolution (in \pm mV)	NA
	ORP Accuracy (+/-)	0 percent
MEASUREMENT OF AMMONIUM	Sensor / Probe/ Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Ammonium Accuracy (+/-)	0 percent
MEASUREMENT OF NITRATE	Sensor / Probe/ Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Nitrate Accuracy (+/-)	0 percent
MEASUREMENT OF CHLORIDE	Sensor/Probe/Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Chloride Accuracy (+/-)	0 percent
MEASUREMENT OF TURBIDITY	Turbidity measurement principle	NA
	Light Source	NA
	Measurement of scattered light	90 degree scatter nephelometer
	Lowest Measurement Value for Turbidity (in FNU or NTU)	NA
	Highest Measurement Value for Turbidity (in FNU or NTU)	NA
	Resolution (in FNU or FTU)	NA
	Turbidity Accuracy (+/-)	0 percent
MEASUREMENT OF TEMPERATURE	Sensor/Probe Type	NA
	Lowest Measurement Value for Temperature ($^{\circ}$ C)	NA
	Highest Measurement Value for Temperature ($^{\circ}$ C)	NA
	Resolution ($^{\circ}$ C)	NA
	Temperature Accuracy (+/-)	0 percent
	Sensor /Probe Type	NA

MEASUREMENT OF PRESSURE	Lowest Measurement Value for Pressure (in mmHg)	NA
	Highest Measurement Value for Pressure (in mmHg)	NA
	Resolution (in mmHg)	NA
	Pressure Accuracy (+/-)	0 percent
MEASUREMENT OF DEPTH	Measurement Method	NA
	Depth Measurement Range (in meters)	NA
	Length of Cable connecting peobe (inclusive in the scope of supply)	0 meter
COMPENSATION / CORRECTION	Temperature correction	Automatic
	Salinity Correction	NA
	Barometric Pressure correction	NA
DISPLAY / STORAGE	Type of Display	LCD with Backlight
	Display Digit Size	30 millimeter
	Number of Digits in Display	5
	Number of parameters diplayed simultaneously	2
	Memory (in Data Sets)	0
	Internal memory (GB)	0
	In-built GPS	No
	Date /time Stamp in Entries	No
	Connectivity interface	NA
POWER SOURCE	Power Source	Alkaline Batteries (Non-Rechargeable)
	Battery Size, if Non Rechargeable Battery	NA
	Battery Chemistry, if Rechargeable Battery	Li-ion
	Voltage of each Battery	3 Volt
	Number of Batteries required for operation	2
	Number of Batteries Inclusive in the Scope of Supply	2
	Battery Capacity (mAh)	1000
	Battery Life	400 hour
	Suitable Adapter to be supplied to make the equipment Work on 230 V ± 10 %, 50 Hz	No
GENERIC	Armour housing of Sensor / Probe	Rubberised metallic
	Probe / Sensor / Electrode supplied with equipment	Yes
	Number of elctrodes supplied	1
	Weight	55 gram
	Dimensions (mm x mm x mm)	164X29X20
	Carry Case included in the scope of supply	Yes
	Any other features	FLAT GLASS SENSOR
	List of Items and Quantity of each item included in the offer	PH 4,7,DROPPER
OPERATING CONDITIONS	Minimum Operating Temperature	0 degree Celsius
	Maximum Operating Temperature	50 degree Celsius
	Operating Humidity, Rh at 40 deg C	85 percent
WARRANTY	Warranty on Equipment	2 year
	Warranty on Probe / Electrode	6 month
	Warranty on Cables for Connecting Probe	1 year
CERTIFICATION	Availability of Test Reports from Central Govt / NABL approved / ILAC accredited Lab to prove conformity to the specification	No
	If Yes, Test Report to be furnished to the Buyer on demand	NA

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be

responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 1.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

Note:

1. Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing, and will also contribute to improving their ratings.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

Dr. P. S. Shyne Anand, P. S

File no - 1-7/26-27/ST

Comp no - 436405

Note # 4

Date - 28/05/26

fund - Institute Capital