

CIBA/26-27/233

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687743301419

अनुबंध तिथि | Generated Date : 21-Jul-2026

खरीद का माध्यम | Procurement Mode: Direct Purchase(DP)

| संगठन विवरण   Organisation Details                                                | खरीदार विवरण   Buyer Details                                                                               |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| प्रारूप   Type : Central Autonomous                                               | पद   Designation : Idc                                                                                     |
| मंत्रालय   Ministry : Ministry of Agriculture and Farmers Welfare                 | संपर्क नंबर   Contact No. : 044-24610565-338                                                               |
| विभाग   Department : Department of Agricultural Research and Education (DARE)     | ईमेल आईडी   Email ID : solin.s@icar.org.in                                                                 |
| संगठन का नाम   Organisation Name : Indian Council of Agricultural Research (ICAR) | जीएसटीआईएन   GSTIN : 33AAAAI1830P1ZQ                                                                       |
| कार्यालय क्षेत्र   Office Zone : Central Institute Of Brakishwater Aquaculture    | पता   Address : NO.75, SANTHOME HIGH ROAD, RAJA ANNAMALAIPURAM, CHENNAI, Chennai, TAMIL NADU-600028, India |

| वित्तीय स्वीकृति विवरण   Financial Approval Detail                                | भुगतान प्राधिकरण विवरण   Paying Authority Details                                                          |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| आईएफडी सहमति   IFD Concurrence : No                                               | Role: BUYER                                                                                                |
| प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: THE DIRECTOR | भुगतान का तरीका   Payment Mode: Offline                                                                    |
| वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: THE DIRECTOR        | पद   Designation : Idc                                                                                     |
|                                                                                   | ईमेल आईडी   Email ID : solin.s@icar.org.in                                                                 |
|                                                                                   | जीएसटीआईएन   GSTIN : 33AAAAI1830P1ZQ                                                                       |
|                                                                                   | पता   Address : NO.75, SANTHOME HIGH ROAD, RAJA ANNAMALAIPURAM, CHENNAI, Chennai, TAMIL NADU-600028, India |

| विक्रेता विवरण   Seller Details                                                      |
|--------------------------------------------------------------------------------------|
| जेम विक्रेता आईडी   GeM Seller ID : 8EZ6200001887849                                 |
| कंपनी का नाम   Company Name : M/s TEJ CORPORATION                                    |
| संपर्क नंबर   Contact No. : 08728002422                                              |
| ईमेल आईडी   Email ID : tejcorporation2@gmail.com                                     |
| पता   Address : SHOP NO 7, MS ENCLAVE, DHAKAULI, ZIRAKPUR, Patiala, PUNJAB-140603, - |
| एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-PB-20-0049541              |
| जीएसटीआईएन   GSTIN : 03HUHPK4143J1ZL (R)                                             |
| एमएसई सामाजिक श्रेणी   MSE Social Category : General                                 |
| एमएसई लिंग श्रेणी   MSE Gender : Male                                                |

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

| उत्पाद विवरण   Product Details               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                               |             |                                     |                                         |                                                                                         |
|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------|-------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------|
| #                                            | आइटम विवरण   Item Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | आइटम विवरण   Ordered Quantity | इकाई   Unit | इकाई मूल्य (INR)   Unit Price (INR) | कर विभाजन (INR)   Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR) |
| 1                                            | उत्पाद का नाम   Product Name : ATAGO Handheld Water Quality Meter / Analyzer Measuring Salinity Meter 1 year Year Warranty<br>ब्रांड   Brand : ATAGO<br>ब्रांड प्रकार   Brand Type : Registered Brand<br>कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM<br>कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM<br>श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Water Quality Meters / Analyzers (Q3)<br>मॉडल   Model: Master S Mill Alpha<br>एचएसएन कोड   HSN Code: HSN not specified by seller<br>उद्गम देश   Country Of Origin: India | 1                             | pieces      | 21,220                              | NA                                      | 21,220                                                                                  |
| कुल ऑर्डर मूल्य   Total Order Value (in INR) |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                               |             |                                     |                                         | 21,220                                                                                  |

| परेषिती विवरण   Consignee Detail |                     |              |                    |                   |                                                           |                                                        |
|----------------------------------|---------------------|--------------|--------------------|-------------------|-----------------------------------------------------------|--------------------------------------------------------|
| क्र.सं.   S.No                   | परेषिती   Consignee | वस्तु   Item | लॉट नंबर   Lot No. | मात्रा   Quantity | दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After | वितरण पूरा कब तक करना है   Delivery To Be Completed By |
|                                  |                     |              |                    |                   |                                                           |                                                        |

|                                                                                                                       |                                                                                                                                                                                                                                                               |                                                                                                |   |   |                         |             |
|-----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|---|---|-------------------------|-------------|
| 1                                                                                                                     | पद  Designation : ldc<br>ईमेल आईडी  Email ID : solin.s@icar.org.in<br>संपर्क  Contact : 044-24610565-338<br>जीएसटीआईएन  GSTIN : 33AAAAI1830P1ZQ<br>पता  Address : NO.75, SANTHOME HIGH ROAD, RAJA ANNAMALAI PURAM, CHENNAI, Chennai, TAMIL NADU-600028, India | ATAGO Handheld Water Quality Meter / Analyzer<br>Measuring Salinity Meter 1 year Year Warranty | - | 1 | 21-Jul-2026             | 05-Aug-2026 |
| Product Specification for ATAGO Handheld Water Quality Meter / Analyzer Measuring Salinity Meter 1 year Year Warranty |                                                                                                                                                                                                                                                               |                                                                                                |   |   |                         |             |
| विनिर्देश  Specification                                                                                              |                                                                                                                                                                                                                                                               | उप-विनिर्देश  Sub-Spec                                                                         |   |   | मूल्य  Value            |             |
| TYPE / NOMENCLATURE / PROTECTION                                                                                      |                                                                                                                                                                                                                                                               | Type of Meter / Analyzer                                                                       |   |   | Handheld                |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Functional nomenclature                                                                        |   |   | Salinity Meter          |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Ingress Protection (Main Unit)                                                                 |   |   | IP 65                   |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Calibration                                                                                    |   |   | Manual                  |             |
| MEASURED WATER QUALITY PARAMETERS                                                                                     |                                                                                                                                                                                                                                                               | Dissolved Oxygen (DO)                                                                          |   |   | No                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | DO % Stauration                                                                                |   |   | No                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Conductivity                                                                                   |   |   | No                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Resistivity                                                                                    |   |   | No                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Salinity                                                                                       |   |   | Yes                     |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Total Dissolved Solids (TDS)                                                                   |   |   | No                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | pH                                                                                             |   |   | No                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Oxidation Reduction Potential (ORP)                                                            |   |   | No                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Ammonium                                                                                       |   |   | No                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Nitrate                                                                                        |   |   | No                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Chloride                                                                                       |   |   | No                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Turbidity                                                                                      |   |   | No                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Depth                                                                                          |   |   | No                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Temperature                                                                                    |   |   | No                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Atmospheric Pressure                                                                           |   |   | No                      |             |
| MEASUREMENT OF DISSOLVED OXYGEN (DO) / DO % Saturation                                                                |                                                                                                                                                                                                                                                               | Dissolved Oxygen (DO) measurement Principle                                                    |   |   | NA                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Sensor / Probe/ Electrode Type                                                                 |   |   | NA                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Measurement Range for DO Content ( in ppm or mg/l )                                            |   |   | NA                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Resolution ( in ppm or mg/l )                                                                  |   |   | NA                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | DO Accuracy ( +/- )                                                                            |   |   | 0 percent               |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Measurement Range for DO % Saturation ( in % )                                                 |   |   | NA                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Resolution ( in % )                                                                            |   |   | NA                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | DO % Accuracy (+/- )                                                                           |   |   | 0 percent               |             |
| MEASUREMENT OF CONDUCTIVITY (EC)                                                                                      |                                                                                                                                                                                                                                                               | Conductivity measurement principle                                                             |   |   | NA                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Sensor/ Probe/Electrode Type                                                                   |   |   | NA                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Material of Electrode                                                                          |   |   | NA                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Measurement Range ( in $\mu$ S/cm )                                                            |   |   | NA                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Resolution ( in mho or $\mu$ S/cm )                                                            |   |   | NA                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | EC Accuracy ( +/- )                                                                            |   |   | 0 percent               |             |
| MEASUREMENT OF RESISTIVITY                                                                                            |                                                                                                                                                                                                                                                               | Resitivity measurement principle                                                               |   |   | NA                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Lowest Measurement Value for Resistivity (in ohm-cm)                                           |   |   | NA                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Highest Measurement Value for Temperature (°C)                                                 |   |   | NA                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Resolution ( in ohm-cm)                                                                        |   |   | NA                      |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Resistivity Accuracy(+/- )                                                                     |   |   | 0 percent               |             |
| MEASUREMENT OF SALINITY                                                                                               |                                                                                                                                                                                                                                                               | Salinity measurement principle                                                                 |   |   | Conductivity Conversion |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Measurement Range ( in parts per thousand or g/l or PSU)                                       |   |   | 0-100                   |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Resolution (in g/l)                                                                            |   |   | 0.01                    |             |
|                                                                                                                       |                                                                                                                                                                                                                                                               | Salinity Accuracy ( +/- )                                                                      |   |   | 2 percent               |             |

|                                                    |                                                          |           |
|----------------------------------------------------|----------------------------------------------------------|-----------|
| MEASUREMENT OF TOTAL DISSOLVED SOLIDS (TDS)        | TDS measurement principle                                | NA        |
|                                                    | TDS Measurement Range ( in parts per thousand or g/l )   | NA        |
|                                                    | Resolution ( in g/l )                                    | NA        |
|                                                    | TDS Accuracy ( +/- )                                     | 0 percent |
| MEASUREMENT OF pH                                  | pH measurement principle                                 | NA        |
|                                                    | Sensor / Probe / Electrode Type                          | NA        |
|                                                    | Number of Sensors / Electrodes                           | NA        |
|                                                    | pH Measurement Range                                     | NA        |
|                                                    | Resolution ( in pH number )                              | NA        |
|                                                    | pH Accuracy ( +/- )                                      | 0 percent |
| MEASUREMENT OF OXIDATION REDUCTION POTENTIAL (ORP) | ORP measurement principle                                | NA        |
|                                                    | Sensor / Probe/ Electrode Type                           | NA        |
|                                                    | Number of Sensors /Electrodes                            | NA        |
|                                                    | Lowest Measurement Value for ORP (in mV )                | NA        |
|                                                    | Highest Measurement Value for ORP (in mV )               | NA        |
|                                                    | Resolution ( in $\pm$ mV )                               | NA        |
|                                                    | ORP Accuracy ( +/- )                                     | 0 percent |
| MEASUREMENT OF AMMONIUM                            | Sensor / Probe/ Electrode Type                           | NA        |
|                                                    | Measurement Range ( in ppm or mg/l )                     | NA        |
|                                                    | Resolution ( in ppm or mg/l )                            | NA        |
|                                                    | Ammonium Accuracy ( +/- )                                | 0 percent |
| MEASUREMENT OF NITRATE                             | Sensor / Probe/ Electrode Type                           | NA        |
|                                                    | Measurement Range ( in ppm or mg/l )                     | NA        |
|                                                    | Resolution ( in ppm or mg/l )                            | NA        |
|                                                    | Nitrate Accuracy ( +/- )                                 | 0 percent |
| MEASUREMENT OF CHLORIDE                            | Sensor/Probe/Electrode Type                              | NA        |
|                                                    | Measurement Range ( in ppm or mg/l )                     | NA        |
|                                                    | Resolution ( in ppm or mg/l )                            | NA        |
|                                                    | Chloride Accuracy ( +/- )                                | 0 percent |
| MEASUREMENT OF TURBIDITY                           | Turbidity measurement principle                          | NA        |
|                                                    | Light Source                                             | NA        |
|                                                    | Measurement of scattered light                           | NA        |
|                                                    | Lowest Measurement Value for Turbidity (in FNU or NTU )  | NA        |
|                                                    | Highest Measurement Value for Turbidity (in FNU or NTU ) | NA        |
|                                                    | Resolution ( in FNU or FTU )                             | NA        |
|                                                    | Turbidity Accuracy ( +/- )                               | 0 percent |
| MEASUREMENT OF TEMPERATURE                         | Sensor/Probe Type                                        | NA        |
|                                                    | Lowest Measurement Value for Temperature (°C)            | NA        |
|                                                    | Highest Measurement Value for Temperature (°C)           | NA        |
|                                                    | Resolution (°C)                                          | NA        |
|                                                    | Temperature Accuracy ( +/- )                             | 0 percent |
| MEASUREMENT OF PRESSURE                            | Sensor /Probe Type                                       | NA        |
|                                                    | Lowest Measurement Value for Pressure (in mmHg )         | NA        |
|                                                    | Highest Measurement Value for Pressure (in mmHg )        | NA        |
|                                                    | Resolution ( in mmHg )                                   | NA        |
|                                                    | Pressure Accuracy ( +/- )                                | 0 percent |
| MEASUREMENT OF DEPTH                               | Measurement Method                                       | NA        |
|                                                    | Depth Measurement Range (in meters)                      | NA        |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                               |                                       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Length of Cable connecting probe (inclusive in the scope of supply)                                                           | 0 meter                               |
| COMPENSATION / CORRECTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Temperature correction                                                                                                        | Automatic                             |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Salinity Correction                                                                                                           | Automatic                             |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Barometric Pressure correction                                                                                                | NA                                    |
| DISPLAY / STORAGE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Type of Display                                                                                                               | LCD                                   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Display Digit Size                                                                                                            | 0 millimeter                          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Number of Digits in Display                                                                                                   | 0                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Number of parameters displayed simultaneously                                                                                 | 2                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Memory (in Data Sets)                                                                                                         | 0                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Internal memory (GB)                                                                                                          | 0                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | In-built GPS                                                                                                                  | No                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Date /time Stamp in Entries                                                                                                   | No                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Connectivity interface                                                                                                        | NA                                    |
| POWER SOURCE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Power Source                                                                                                                  | Alkaline Batteries (Non-Rechargeable) |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Battery Size, if Non Rechargeable Battery                                                                                     | NA                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Battery Chemistry, if Rechargeable Battery                                                                                    | NA                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Voltage of each Battery                                                                                                       | 0 Volt                                |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Number of Batteries required for operation                                                                                    | 0                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Number of Batteries Inclusive in the Scope of Supply                                                                          | 0                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Battery Capacity (mAh)                                                                                                        | 0                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Battery Life                                                                                                                  | 0 hour                                |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Suitable Adapter to be supplied to make the equipment Work on 230 V $\pm$ 10 %, 50 Hz                                         | No                                    |
| GENERIC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Armour housing of Sensor / Probe                                                                                              | Plastic                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Probe / Sensor / Electrode supplied with equipment                                                                            | No                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Number of electrodes supplied                                                                                                 | 0                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Weight                                                                                                                        | 110 gram                              |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Dimensions ( mm x mm x mm )                                                                                                   | 3.2x3.4x20.7mm                        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Carry Case included in the scope of supply                                                                                    | Yes                                   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Any other features                                                                                                            | Includes manual                       |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | List of Items and Quantity of each item included in the offer                                                                 | 1                                     |
| OPERATING CONDITIONS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Minimum Operating Temperature                                                                                                 | 5 degree Celsius                      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Maximum Operating Temperature                                                                                                 | 50 degree Celsius                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Operating Humidity, Rh at 40 deg C                                                                                            | 90 percent                            |
| WARRANTY                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Warranty on Equipment                                                                                                         | 1 year                                |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Warranty on Probe / Electrode                                                                                                 | 12 month                              |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Warranty on Cables for Connecting Probe                                                                                       | 0 year                                |
| CERTIFICATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Availability of Test Reports from Central Govt / NABL approved / ILAC accredited Lab to prove conformity to the specification | Yes                                   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | If Yes, Test Report to be furnished to the Buyer on demand                                                                    | Yes                                   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Test Report No and Date                                                                                                       | M1543dt25.8.2021                      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Name of the Lab and Address                                                                                                   | Fukaya, Japan                         |
| <p><b>टिप्पणी   Note:</b> Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p> |                                                                                                                               |                                       |
| ईपीबीजी विवरण   ePBG Detail                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                               |                                       |
| NA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                               |                                       |

## नियम और शर्तें | Terms and Conditions

### 1. General Terms and Conditions-

- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 1.3 All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

#### Note:

1. Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing, and will also contribute to improving their ratings.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

Dr. R. Ananda Raja , P.S

File no - 1-32/26-27/ST

Comp no - 446248

Note # 6

Date - 20/07/26

fund - G1A - Capital